

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9157	18	71-9157	USA/9157/B(U)-96	1 OF	3

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- a. ISSUED TO (*Name and Address*)
Industrial Nuclear Company
14320 Wicks Blvd.
San Leandro, CA 94577
- b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION
Industrial Nuclear Company application, Revision No. 4,
dated June 2015, as supplemented.

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

- (1) Model No.: IR-100
- (2) Description

The Model No. IR-100 package is approximately 8.87 inches long, 4.5 inches wide, and 8.5 inches high. The radioactive material contents consist of Iridium-192 or Selenium-75 in source assemblies that meet the requirements for special form material. The source assemblies are positioned within a zircalloy or titanium "S" tube within the IR-100. The "S" tube is surrounded by a shield assembly made of depleted uranium. The uranium shield assembly is encased in a stainless steel housing. The space between the uranium shield assembly and the stainless steel casing is filled with a rigid polyurethane foam. The maximum weight of the IR-100 exposure device is 53 pounds and the maximum shield weight is 38 pounds.

(3) Drawings

The packaging is constructed in accordance with Industrial Nuclear Company Drawing Nos.: IR 100-1A, Rev. 5 and IR 100-1B, Rev. 3.

(b) Contents

(1) Type and form of material

Iridium-192 or Selenium-75 as sealed sources that meet the requirements of special form radioactive material.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9157	18	71-9157	USA/9157/B(U)-96	2 OF	3

5. (b) Contents (continued)

(1) Maximum quantity of material per package

120 (output) curies

Output curies are determined in accordance with American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography."

6. The source must be secured in the shielded position of the packaging by the shipping plug, source assembly lock, and lock cap. The shipping plug, source assembly lock, and lock cap used must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintaining their positioning function. The ball stop of the source assembly lock must engage the locking device. The flexible cable of the source assembly and shipping plug must be of sufficient length and diameter to provide positive positioning of the source in the shielded position.
7. The name plate on the exposure device must be fabricated of materials capable of resisting the fire test of 10 CFR Part 71 and maintaining its legibility.
8. In addition to the requirements of Subpart G of 10 CFR Part 71:
- (a) The package must meet the Acceptance Tests and Maintenance Program of Section 8 of the application; and
 - (b) Each package shall be operated and prepared for shipment in accordance with the operating procedures in accordance with Section 7 of the application.
9. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
10. Revision No. 17 of this certificate may be used until October 31, 2024.
11. Expiration date: October 31, 2029.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9157	18	71-9157	USA/9157/B(U)-96	3 OF	3

REFERENCES

Industrial Nuclear Company application dated June 2015.

Supplements dated: July 8, and August 6, 2015; February 16, 2017.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

**YOIRA DIAZ-
SANABRIA**

Digitally signed by YOIRA DIAZ-
SANABRIA

Date: 2024.09.23 07:49:26 -04'00'

Yaira Diaz-Sanabria, Chief
Storage and Transportation Licensing Branch
Division of Fuel Management
Office of Nuclear Material Safety
and Safeguards

Date: September 23, 2024





**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
WASHINGTON, D.C. 20555-0001

SAFETY EVALUATION REPORT

**Docket No. 71-9157
Model No. IR-100
Certificate of Compliance No. 9157
Revision No. 18**

EVALUATION

By letter dated August 15, 2024 (Agencywide Documents Access and Management System Accession No. ML24236A772), Industrial Nuclear Company Co., Inc., (INC) requested renewal of Certificate of Compliance (CoC) No. 9157, for the Model No. IR-100 transportation package.

All conditions and drawings listed in Revision No. 17 of the certificate remain unchanged and INC. did not request any change to the package design, operations or maintenance procedures.

The certificate has been updated to Revision No. 18.

CONDITIONS

The following changes have been made to the CoC:

Condition 10 was revised to state the expiration date of Revision No. 17 of the certificate.

Condition 11 was revised to reflect the new expiration date of October 31, 2029.

CONCLUSIONS

Based on the statements and representations in the application and the renewal request, the staff finds that the package meets the requirements of Title 10 of the *Code of Federal Regulations* Part 71.

Issued with CoC No. 9157, Revision No. 18.