

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0392/S, REVISION 14

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. Source Identification QSA Global, Inc. Model 875 Capsule.
- 2. Source Description Cylindrical single encapsulation made of Type 304 or 304L stainless steel and tungsten inert gas or laser welded. Approximate exterior dimensions are 5.2 mm (0.205 in.) in diameter and 7.84 mm (0.309 in.) in length. Inside dimensions vary, but minimum wall thickness is 0.482 mm (0.019 in.). Construction shall be in accordance with attached QSA Global, Inc. Drawing No. R875 INNER, Rev. C.
- 3. Radioactive Contents No more than either 8.9 TBq (240.0 Ci) of Cobalt-60 or 14.8 TBq (400.0 Ci) of Iridium-192 in the form of metallic wafers or pellets.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. <u>Expiration Date</u> This certificate expires on September 30, 2030. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2018 Edition, No. SSR-6 (Rev. 1)" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

 $^{^2}$ Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0392/S, REVISION 14

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the August 27, 2025 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

fad fall


September 23, 2025

William Quade

Acting Associate Administrator for Hazardous Materials Safety

(DATE)

Revision 14 - Issued to endorse to 2018 edition of the IAEA Regulations for the Safe Transport of Radioactive Material, SSR-6 (Rev. 1) and to extend the expiration date.



NOTES:

- MATERIAL: 304L STAINLESS STEEL.
 INTERNAL VOID VOLUME TO BE 0.010 mL OR GREATER.
 INNER CAVITY DIMENSIONS MAY VARY. METALLIC SPACERS,
 SPRINGS AND GUARDS WHICH SECURE AND/OR LOCATE THE
 RADIOACTIVE MATERIAL WITHIN THE CAPSULE MAY BE USED.
 MINIMUM WALL THICKNESS TO BE 0.019. 4.2.2
 - 4.

		L					
	MILS	DAIL					!
	A, ham	25/2007		750	SA GLOBAL	DESCRIPTIVE	TIVE
						■ URAWING	2
	K. Hillo	PSC/JUR O	40 NO	RTH AVE, BUR	(DEC) 40 NORTH AVE, BURLINGTON, MA 01803		
	UNLESS OTHERWISE SPECIFIED	PECIFIED	TITLE	875	SERIES	TITLE 875 SERIES INNER CADSILLE	L
	TOLERANCES:						
	FRACTIONS + 1/8		1110	014	700		
1730	x.x ± 0.12	,	SIZE A	SIZE DWG. NO.	\ الا	KX/U INNER	K E
60/	x.xx ± 0.06 x.xxx ± 0.020	0	A	SCALE	SCALE: NONE	SHEET 1 OF	

#

ERF





U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0392/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA