



U.S. Department
of Transportation
**Pipeline and
Hazardous Materials
Safety Administration**

**COMPETENT AUTHORITY CERTIFICATION
FOR A TYPE FISSILE
RADIOACTIVE MATERIALS PACKAGE DESIGN
CERTIFICATE USA/0585/AF-96, REVISION 4**

East Building, PHH-23
1200 New Jersey Avenue Southeast
Washington, D.C. 20590

**REVALIDATION OF JAPANESE COMPETENT AUTHORITY
CERTIFICATE J/159/AF-96**

This certifies that the radioactive material package design described is hereby approved for use within the United States for import and export shipments only. Shipments must be made in accordance with the applicable regulations of the International Atomic Energy Agency¹ and the United States of America².

1. Package Identification - MST-30.
2. Package Description and Authorized Radioactive Contents - as described in Japan Certificate of Competent Authority J/159/AF-96, Revision 2 (attached).
3. Criticality - The minimum criticality safety index is 5.0. The maximum number of packages per conveyance is determined in accordance with Table X of the IAEA regulations cited in this certificate.
4. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
 - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency (IAEA), Vienna, Austria.


² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0585/AF-96, REVISION 4

- d. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
5. Special Conditions -
- a. Cylinders used under this certificate must have been designed and manufactured in compliance with the ANSI N14.1 standard in effect at the time of manufacture.
- b. Cylinders used under this certificate must be operated, maintained and handled in accordance with the ANSI N14.1 standard in effect at the time of shipment.
6. Marking and Labeling - The package shall bear the marking USA/0585/AF-96 in addition to other required markings and labeling.
7. Expiration Date - This certificate expires on September 25, 2019. On May 24, 2015, this certificate supersedes all previous revisions of USA/0585/AF-96.

This certificate is issued in accordance with paragraph 814 of the IAEA Regulations and Section 173.472 and 173.473 of Title 49 of the Code of Federal Regulations, in response to the January 05, 2015 petition by Edlow International Company, Washington, DC, and in consideration of other information on file in this Office.

Certified By:



Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety

Jan 28 2015

(DATE)

Revision 4 - Issed to endorse Japanese Certificate of Approval No. J/159/AF-96, Revision 2.



IDENTIFICATION MARK
J/159/AF-96(Rev.2)

COMPETENT AUTHORITY
OF
JAPAN

CERTIFICATE FOR APPROVAL OF
PACKAGE DESIGN
FOR THE TRANSPORT OF
RADIOACTIVE MATERIALS

ISSUED BY

NUCLEAR REGULATION AUTHORITY
1-9-9, ROPPONGI MINATO-KU
TOKYO, JAPAN

CERTIFICATE FOR APPROVAL OF PACKAGE DESIGN
FOR THE TRANSPORT OF RADIOACTIVE MATERIALS

This is to certify, in response to the application by MITSUBISHI NUCLEAR FUEL CO., LTD., that the package design described herein complies with the design requirements for a package containing fissile uranium hexafluoride, specified in the 2009 Edition of the Regulations for the Safe Transport of Radioactive Material (International Atomic Energy Agency, Safety Standards Series No.TS-R-1) and the Japanese rules based on the Act on Regulation of Nuclear Source Material, Nuclear Fuel Material and Reactors.

This certificate does not relieve the consignor from compliance with any requirement of the government of any country through or into which the package will be transported.

COMPETENT AUTHORITY

IDENTIFICATION MARK : J/159/AF-96(Rev.2)

October 31, 2014


Date

前川 之 則

Yukinori Maekawa

Director, Division of Regulation for
Radioactive Waste, Storage and Transport

Secretariat of Nuclear Regulation Authority
Competent Authority of JAPAN
for Package Design Approval

- 
1. The Competent Authority Identification Mark : J/159/AF-96 (Rev.2)
 2. Name of Package : MST-30
 3. Type of Package : Type A, Fissile Material and Uranium Hexafluoride Package
 4. Specification of Package
 - (1) Material of Packaging : See the attached Table-1
 - (2) Total Weight of Packaging : 1,893 kg or less
 - (3) Outer Dimensions of Packaging :
 - (i) Length : Approximately 2.4 m
 - (ii) Width : Approximately 1.3 m
 - (iii) Height : Approximately 1.4 m
 - (4) Total Weight of Package : 4,170 kg or less
 - (5) Illustration of Package : See the attached Figure-1 (Bird's-eye view)
 5. Specification of Radioactive Contents : See the attached Table-2
 6. Description of Containment System

Containment system consists of 30B cylinder, valve and plug.
Teflon rubber is used for valve gaskets.
 7. For Package containing Fissile Materials,
 - (1) Restrictions on Package
 - (i) Restriction Number "N" : No restriction
 - (ii) Array of Package : No restriction
 - (iii) Criticality Safety Index (CSI) : 0
 - (2) Description of Confinement System

Confinement system consists of a mass of uranium hexafluoride and 30B cylinder.
 - (3) Assumptions of Leakage of Water into Package

No water will leak into or out of any void spaces of 30B cylinder not only during routine transport but also under normal and accident conditions even if the protective overpack is fractured and deformed.
 - (4) Special Features in Criticality Assessment

Quality control of 30B cylinder including its valve and plug should be performed so as to prevent any leakage of water thereinto.

8. For Type B(M) Packages, a statement regarding prescriptions of Type B(U) Package that do not apply to this Package

This is not applicable to this type MST-30 package.

9. Assumed Ambient Conditions

(1) Ambient Temperature Range : $-20^{\circ}\text{C} \sim 38^{\circ}\text{C}$

(2) Insulation Date : Table 13 of IAEA Regulation

10. Handling, Inspection and Maintenance

Execute a handling, the periodic inspection and maintenance of the packaging used for the transportation of this package by the method indicated in safety analysis report of this package.

11. Expiry Date

(1) Issue Date : September 26, 2014

(2) Expiry Date : September 25, 2019

12. Note

The previous certificate (I.D. Mark J/159/AF-96 (Rev.1)) may be used until May 24, 2015.




Figure-1 MST-30 Type Transport Package External Appearance

Table-1 Material of Packaging

Construction		Material
Protective Packaging	External Shell	Stainless Steel(SUS304)
	Internal Shell	
	Heat Insulator	Phenolic Foam
	Support	Polyurethane Foam
	Pad	Sponge Rubber and Neoprene
Cylinder	Shell	Pressure Vessel Plates, Carbon Steel, for Moderate-and Lower-Temperature Service (ASTM A516)
	Heads	
	Skirt	Pressure Vessel Plates, Carbon Steel, for Moderate-and Lower-Temperature Service (ASTM A516) or Structural Steel (ASTM A36)
	Valve	Aluminum Bronze (UNS C63600)
	Plug	Aluminum Bronze (ASTM B150 or ASTM B171)

Table-2 Specification of Content

Material of Nuclear Fuel		Uranium Hexafluoride (UF ₆)	
Physical State		Solid (Block and Powder)	
Total Weight of Nuclear Fuel		2,277 kg -UF ₆ or less	
Activity	Total	265 GBq or less	
	Principle Radionuclides	²³² U	≤ 1.11 × 10 ⁸ Bq
		²³⁴ U	≤ 1.96 × 10 ¹¹ Bq
		²³⁵ U	≤ 6.16 × 10 ⁹ Bq
		²³⁶ U	≤ 9.22 × 10 ⁸ Bq
		²³⁸ U	≤ 1.82 × 10 ¹⁰ Bq
		⁹⁹ Tc	≤ 9.66 × 10 ⁶ Bq
Enrichment		5% or less	
Moderation Control, i.e. H/U Atomic Ratio		0.088 or less (Purity of UF ₆ is more than or equivalent to 99.5 %)	
Radionuclide Concentrations	²³² U	≤ 0.0001	μg/g U
	²³⁴ U	≤ 11.0 × 10 ³	μg/g ²³⁵ U
	²³⁶ U	≤ 5,000	μg/g ²³⁵ U
	⁹⁹ Tc	≤ 0.01	μg/g U
	If the ²³⁶ U measurement result is less than 125 μg/g U, then measurement of ²³² U and ⁹⁹ Tc is not required .		



U.S. Department
of Transportation

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

**Pipeline and
Hazardous Materials
Safety Administration**

CERTIFICATE NUMBER: USA/0585/AF-96, Revision 4

ORIGINAL REGISTRANT(S):

Ms. Franchone Oshinowo
Vice President of Operations
Edlow International Company
1666 Connecticut Ave, N.W.
Suite 201
Washington, 20009
USA

Ms. Marilena Conde
Vice President, Marketing and Administration
Edlow International Company
1666 Connecticut Ave, N.W
Suite 201
Washington, 20009
USA

REGISTERED USER(S):

Mr. Michael Buckner
Customer Service and Product Scheduling
United States Enrichment Corporation
Paducah Gaseous Diffusion plant
P.O. Box 1410
5600 Hobbs Road
Paducah, KY 42002-1410

Mr. Marty Karr
Packaging and Transportation
United States Enrichment Corporation
P.O. Box 628
U.S. Route 23 South
Piketon, OH 45661

Mr. Darren Condrey
Transport Logistics International
Transport Logistics International
8161 Maple Lawn Blvd
Suite 450
Fulton, 20759
USA

Mr. Mark Lambert
Transport Logistics International
Transport Logistics International
8161 Maple Lawn Blvd.
Suite 450
Fulton, 20759
USA

Mr. Jim Davis
Areva - TN Inc
2101 Horn Rapids Road
Richland, WA 99352

Ralf Witten
Areva - TN Inc
Abteilung ANF-LP
Advanced Nuclear Fuels GmbH
Postfach 1485
Lingen, Niedersachsen 49784
Germany

Mr. Robert Link
Areva - TN Inc
2101 Horn Rapids Road
Richland, 99352
USA

Mr. Timothy Knowles
Licensing and Performance Assessment Manager
Louisiana Energy Services, Urenco USA
Louisiana Energy Services (LES)
URENCO USA
275 Hwy 176
Eunice, 88231
USA

Glenn Mathues
Licensing Engineer (Transportation)
Areva - TN Inc
7135 Minstrel Way
Suite 300
Columbia, MD 21045

Hitoshi Inada
General Manager, Transportation & Service Department
Mitsubishi Nuclear Fuel Co. Ltd.
622-1
Funaishikawa
Tokai-mura
Naka-gun, Ibaraki 319-1197
Japan

Norman Kent
Director Engineering Services
Transport Logistics International
TLI Engineering Services
3700 Forest Drive
Suite 202
Columbia, 29204
USA

Kuninori Yamane
Mitsubishi Nuclear Fuel Co. Ltd.
622-1
Funaishikawa
Tokai-mura
Naka-gun, Ibaraki 319-1197
Japan

Mike Valenzano
Director of Transport Operations
Areva - TN Inc
7135 Minstrel Way
Suite 300
Columbia, MD 21045