

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0675/S-96, REVISION 4

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X2035 (Manufactured on or after January 26, 1984).
- 2. Source Description Cylindrical double encapsulation made of stainless steel and tungsten inert gas or laser seal welded. Approximate outer dimensions are 8.0 mm (0.31 in.) in diameter and 31.3 mm (1.23 in.) in length. Minimum wall thickness of the outer encapsulation is 0.6 mm (0.02 in.). Construction shall be in accordance with attached AEA Technology QSA, Inc. Drawing No. RBA61495, Rev. A.
- 3. Radioactive Contents No more than 37.0 GBq (1.0 Ci) of Americium-241. The Am-241 is in the form of an oxide mixed with a beryllium powder that is then pressed into a solid pellet.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.

 $^{^{1}}$ "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0675/S-96, REVISION 4

5. Expiration Date - This certificate expires on September 30, 2028. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the September 6, 2023 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

September 28, 2023

Associate Administrator for Hazardous Materials Safety

(DATE)

Revision 4 - Issued to extend the expiration date.

1TEM DESCRIPTION QTY. 1 SHEATH BODY STAIN. STL. 1 2 SHEATH LID STAIN. STL. 1 3 CELL BODY STAIN. STL. 1 4 CELL LID STAIN. STL. 1 5 ACTIVE MATERIAL A/R 6 CERAMIC FIBRE (OPTIONAL) A/R	31.3 MAX. Date of Laser weld. Solution (1)	APPROVALS R. Mandle Strate of the strength of
	LASER WELD ABO MAX ABO MAX ABO MAX ABO MAX	ERF # 858



U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0675/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA

Halliburton 3000 North Sam Houston Parkway, East Houston, TX, 77032 USA