

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0678/S-96, REVISION 4

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X93 (Manufactured on or after May 15, 1981).
- 2. Source Description Cylindrical single encapsulation made of stainless steel and tungsten inert gas or laser seal welded. Approximate exterior dimensions are 30.2 mm (1.19 in.) in diameter and 6.3 mm (0.25 in.) in length. Minimum wall thickness is 0.2 mm (0.008 in.). Construction shall be in accordance with attached AEA Technology QSA, Inc. Drawing No. RBA11069, Rev. B.
- 3. <u>Radioactive Contents</u> No more than 74.0 GBq (2.0 Ci) of Americium-241 in the form of an oxide pressed into a ceramic.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on September 30, 2028. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

 $^{^2}$ Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0678/S-96, REVISION 4

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the September 6, 2023 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

September 28, 2023

(DATE)

William Schoonover
Associate Administrator for Hazardous

Materials Safety

Revision 4 - Issued to extend the expiration date.

ΣŁ	-	-			A/R	
	STAIN, STL.	STAIN. STL.	STAIN. STL.	GASKET (OPTIONAL) METAL		SPRING (OPTIONAL) METAL
DESCRIPTION	ВОДУ	רום	INSERT	GASKET (OP	ACTIVE MATERIAL	SPRING (OP
ITEM	-	2	3	4	3	9

NOTES:

1. ITEMS 4 & 6 MATERIALS TO BE METALS OR METAL ALLOYS WITH A MINIMUM MELTING POINT OF 800 $^\circ$

2. ITEMS 4 & 6 DIMENSIONS AS NECESSARY TO ACHIEVE IMMOBILIZATION OF ITEM 3 INSERT WITHIN CAPSULE BODY & LID.

ı				吊口	
	DESCRIPTIVE	DNAWING	X93 CAPSULE ASSEMBLY	6	SHEET 1 OF 1
	(OLOGY)	40 NORTH AVE, BURLINGTON, MA 01803	CAPSULE	RBA11069	NONE
	NEATECHIN	45 NORTH AVE, BUI		SIZE DWG. NO.	SCALE:
		9	TITLE	SIZE	⋖
ALS	29 Jun 04	29 Jano	FES ED TOLERANCES:	INTERNAL W	external 😴
APPROVALS	P. Wirm	R. Portela	DIMENSIONS IN MILLIMETERES UNILESS OTHERWISE STATED TOLERANCES:	X ±0.5 XX ±0.1 XXX ±0.05	ANGULAR #5

853

ERF#

∰ Ω





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0678/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA