

U.S. Department of Transportation

America.

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0733/S, REVISION 4

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X130/4 (Manufactured on or after July 15, 1981).
- 2. Source Description Cylindrical single encapsulation made of monel and beryllium; soldered on one end and tungsten inert gas or laser seal welded on the other end. Approximate outer dimensions are 8.1 mm (0.32 in.) in diameter and 5.3 mm (0.21 in.) in length. Minimum wall thickness is 0.5 mm (0.02 in.). Construction shall be in accordance with attached QSA Global Drawing No. RBA61909, Rev. A.
- 3. Radioactive Contents No more than 7.4 GBq (200.0 mCi) of either Plutonium-238, Americium-241, or Curium-244. The Pu-238, Am-241 and Cm-244 are in the form of an oxide or an oxide incorporated into a ceramic matrix.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.

1 "Regulations for the Safe Transport of Radioactive Material, 2018 Edition, No. SSR-6 (Rev. 1)" published by the International Atomic Energy Agency

⁽IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of

CERTIFICATE USA/0733/S, REVISION 4

5. Expiration Date - This certificate expires on May 16, 2030. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the April 30, 2025 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

Milliam Schoppyor

William Schoonover Associate Administrator for Hazardous Materials Safety May 12, 2025 (DATE)

Revision 4 - Issued to endorse to the 2018 Edition of the IAEA Regulations for the Safe Transport of Radioactive Materials, SSR-6 (Rev. 1), and to extend the expiration date.

		REV. ERF # DESCRIPTION APPROVALS DATE
Item No.	ption	1258 INITIAL RELEASE SEE TITLE E
-	BODY MONEL	
2	LID MONEL	
2	WINDOW BERYLLIUM	
4	PLUG TUNGSTEN	
5	INSERT STAIN. STL.	
9	ACTIVE MATERIAL	1
7	ANTI-RATTLE CAPSULE SPRING STAIN. SPRING	STL. 1
		5.3 MAX. AFTER WELDING TIG OR LASER WELD
	Mn + Ag SOLDER	.XAM
		1.8¢
	(6)	5 4 7 2
• •	NOTE: DIMENSIONS ARE IN MILLIMETERS.	APPROVALS DATE OSA GLOBAL DESCRIPTIVE DRAWING
	ERF # 1258	UNLESS OTHERWISE SPEC DIMENSIONS IN INCHES TOLERANCES: FRACTIONS ± 1/8 X.X ± 0.12 X.XX ± 0.06 X.XX ± 0.06



U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0733/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA

Troxler Electronic Laboratories 3008 Cornwallis Road Research Triangle Park, NC, 27709 USA