

U.S. Department of Transportation

## IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0738/S, REVISION 4

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency $^1$  and the United States of America $^2$  for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X1213 (Manufactured on or after December 12, 1988).
- 2. Source Description Cylindrical single encapsulation made of stainless steel and tungsten inert gas or laser seal welded. Approximate outer dimensions are 3.4 mm (0.13 in.) in diameter and 30.5 mm (1.2 in.) in length. Minimum wall thickness is 0.5 mm (0.02 in.). Construction shall be in accordance with attached QSA Global, Inc. Drawing No. RBA62044, Rev. A.
- 3. <u>Radioactive Contents</u> No more than 7.5 GBq (202.7 mCi) of Americium-241. The Am-241 is in the form of an oxide or an oxide incorporated into a ceramic matrix.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. <u>Expiration Date</u> This certificate expires on May 16, 2030. Previous editions which have not reached their expiration date may continue to be used.

 $^1$  "Regulations for the Safe Transport of Radioactive Material, 2018 Edition, No. SSR-6 (Rev. 1)" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

<sup>&</sup>lt;sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

## CERTIFICATE USA/0738/S, REVISION 4

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the April 30, 2025 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

William Schoonover Associate Administrator for Hazardous Materials Safety May 07, 2025 (DATE)

Revision 4 - Issued to endorse to 2018 edition of the IAEA Regulations for the Safe Transport of Radioactive Material, SSR-6 (Rev. 1) and to extend the expiration date.

30.5 MAX. AFTER WELDING  30.5 MAX. AFTER WELDING  4 CERAMIC FIBER PACKING  20 ACTIVE LENGTH  TIG OR LA	STAIN. STL. 1
30.5 MAX. AFTER WELDING  20 ACTIVE LENGTH  20 ACTIVE LENGTH	STAIN. STL.
30.5 MAX. AFTER WELDING  20 ACTIVE LENGTH	IL: GLASS AR
20 ACTIVE LENGTH  ———————————————————————————————————	
	TIG OR LASER WELD
TIG OR LASER WELD $(2)$ $(3)$ $(4)$ $(2)$	
NOTES: 1) DIMENSIONS ARE IN MILLIMETERS.	
10 SA GLOBAL  OSA GLOBAL  OSA GLOBAL  AD NORTH AVE, BURLINGTON, MA 01803  TITLEASSEMBIY OF	DESCRIPTIVE DRAWING  PTON, MA 01803  Y OF CAPSULE X1213
RB/	RB/





U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0738/S-96

## ORIGINAL REGISTRANT(S):

QSA Global, Inc. 40 North Avenue Burlington, MA, 01803 USA