

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0793/S-96, REVISION 2

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> Eckert & Ziegler Isotope Products (EZIP) source capsule Model No. Cf2.NO2.
- 2. Source Description Cylindrical double encapsulation made of Type 316 and 304 stainless steel and fusion welded. Approximate outer dimensions are 7.8 mm (0.307 in.) in diameter and 10.0 mm (0.394 in.) in length. Construction shall be in accordance with attached Eckert & Ziegler Isotope Products Drawing No. 3036-REG, Model NO2 Neutron Source, Double Encapsulated, Rev. D, Sheet 2 of 2.
- 3. Radioactive Contents No more than 1.11 GBq (30 mCi) of Californium-252. The Cf-252 is composed of oxides in ceramic, oxides in metal, or oxides in palladium metal wire.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on June 30, 2027. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

 $^{^2}$ Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0793/S-96, REVISION 2

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the May 20, 2022 petition by Eckert & Ziegler Isotope Products, Valencia, CA, and in consideration of other information on file in this Office.


Certified By:

William Schoonover
Associate Administrator for Hazardous


June 09, 2022 (DATE)

Materials Safety

Revision 2 - Issued to extend the expiration date.







A ENGRAVE CHARACTER, HEIGHT 0.050"[1.27mm] X 0.003"[0.08mm] MAX: MANUFACTURER, SERIAL NUMBER, "Cf-252", ACTIVITY, "RADIOACTIVE". LASER ENGRAVING IS ALLOWED.

1. ISOMETRIC VIEW IS NOT TO SCALE. NOTES: UNLESS OTHERWISE SPECIFIED

Eckert & Ziegle Isotope Products

VALENCIA, CALIFORNIA 91355

THIS DRAWING IS THE PROPERTY OF ECKERIR JIEGLER ISOTOPE I AND MAY NOT BE USED, REPRODUCED, PUBLISHED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY ECKERIRZIEGLER ISOTOPE

| MODEL NO2 NEUTRON SOURCE, DOUBLE ENCAPSULATED | | SERIES TITE HIGH INTENSITY GAMMA & NEUTRON | | REV D | |
|---|---|--|--|--|-------------|
| | | | | 3036-REG | |
| | | | | | DRAWING NO. |
| DRAWN | ME/CHECKER | AK | ENGINEER | - 1- | 3CALE 4:1 |
| DRAWING SIZE LETTER | twise specified dimensions are in inch sizes. [mm] are in Millimeters. | | (UNLESS OTHERWISE SPECIFIED) .002 INCH ANGULAR TOLERANCE OF 0°±30' .005 INCH RRACTIONAL DIMENSIONS ± 1/32" .03 INCH REFRENCE DIMENSIONS () N/A .1 INCH SURFACE ROUGHNESS µINCH MAX | | |
| CAGE CODE 32993 ^{[1} | UNLESS OTHERWISE SPECIFIED DIMENSION METRIC LINITS from J ARF IN MILLIMETERS. | · | | X.X ± .03 INCH REFE X. ± .1 INCH SURF | |
| Iler IS FERCODUCTS ED TO OTHERS | | | | | |

CAPSULE A3036-2 Cf-252 SOURCE

2 OF 2





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0793/S-96

ORIGINAL REGISTRANT(S):

Eckert & Ziegler Isotope Products 24937 Avenue Tibbitts Valencia, CA, 91355 USA