

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0809/S, REVISION 2

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. Source Identification J.L Shepherd & Associates Model 6810-500.
- 2. Source Description Cylindrical double encapsulation made of Type 304, 304L, 316, or 316L stainless steel and heliarc welded. Approximate outer dimensions are 11.43 mm (0.45 in.) to 17.45 mm (0.687 in.) in diameter and 49.53 mm (1.95 in.) to 83.95 mm (3.305 in.) in length. Construction shall be in accordance with attached J.L. Shepherd and Associates Drawing No. A-0068-500-1, Rev. B.
- 3. <u>Radioactive Contents</u> No more than 22.2 TBq (600 Ci) of Cesium-137. The Cs-137 is in the form of pelletized CsCl.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on May 1, 2030. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2018 Edition, No. SSR-6 (Rev. 1)" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

 $^{^2}$ Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0809/S, REVISION 2


This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the March 29, 2025 petition by J.L. Shepherd & Associates, San Fernando, CA, and in consideration of other information on file in this Office.

Certified By:


William Schoonover

William Schoonover Associate Administrator for Hazardous Materials Safety April 08, 2025 (DATE)

Revision 2 - Issued to update to 2018 edition of IAEA Regulations for the Safe Transport of Radioactive Material, SSR-6 (Rev. 1) and extend the expiration date.



RIGINAL



INNER CAPSULE

1. MATL 304,304L,316 OR 316L SS CAPS & BODIES FABRICATED FROM SAME ALLOY

NOTES:

PLUGS .0005" INTERFERENCE FIT 7

- REMOVEABLE CONTAMINATION < 5 X 10⁻³ MCi ь.
- 4. INNER & OUTER MUST PASS BUBBLE TEST OR HELIUM LEAK TEST AFTER FABRICATION
- CHEMICAL FORM OF CS-137 IS CSCI Ŋ
- XXX MODEL, XXX SERIAL NUMBER RADIOACTIIVE MATERIAL ABELING, ETCHED OR ENGAVED CS-137 XXX CURIES ω.
 - STUD OPTIONAL ON END CAP
- MAXIMUM ACTIVITY: 600 Ci /22.2 TBq CS—137 αi

\Box 9JUL15 REV.

ociates	SCALE NONE		A-0068-500-1
SHEPHERD and Associates	APPROVED BY	SULE	A-006
五	APP O	CAPS	200
SHEP	DATE 9JUL15	TYPE 6810 CAPSULE	SUBMODEL 6810-500
_ <u>i</u>	DRAWN BY D. TRAN		SUBMO





U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0809/S-96

ORIGINAL REGISTRANT(S):

J.L. Shepherd & Associates 1010 Arroyo Ave. San Fernando, CA, 91340-1822 USA