



U.S. Department
of Transportation

Pipeline and
Hazardous Materials
Safety Administration

East Building, PHH-23
1200 New Jersey Ave, SE
Washington, D.C. 20590

IAEA CERTIFICATE OF COMPETENT AUTHORITY
SPECIAL FORM RADIOACTIVE MATERIALS

CERTIFICATE USA/0812/S-96, REVISION 2

This certifies that the sources described have been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America² for the transport of radioactive material.

1. Source Identification - Source Production & Equipment Company, Inc. G/SR Series source capsules.
2. Source Description - Cylindrical double or triple encapsulations. The double encapsulation is constructed of a vanadium inner encapsulation sealed by Laser Beam Welding (LBW) with either a Type 316 stainless steel or a titanium outer encapsulation that is sealed by either Gas Tungsten Arc Welding (GTAW) or LBW. Approximate outer dimensions of the double encapsulation (G/SR-INNER) are 4.9 mm (0.19 in.) in diameter and 6.85 mm (0.27 in.) in length. The triple encapsulations consist of a G/SR-INNER double encapsulation installed in a Type 316 stainless steel encapsulation that is sealed by GTAW or LBW and has either a single tab on one end or a tab on each end. Approximate outer dimensions of the triple encapsulations are 6.88 mm (0.27 in.) in diameter and 22.0 mm (0.87 in.) in length (G/SR-18) or 28.7 mm (1.13 in.) in length (G/SR-17). Construction shall be in accordance with attached Source Production & Equipment Co., Inc. Drawing No. BS1706 Rev. 3.
3. Radioactive Contents - No more than 5.55 TBq (150 Ci) of Selenium-75. The Se-75 is in a solid metal alloy.

¹ "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0812/S-96, REVISION 2

4. Management System Activities - Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
5. Expiration Date - This certificate expires on March 31, 2029. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the February 21, 2024 petition by Source Production and Equipment Company, Inc., St. Rose, LA, and in consideration of other information on file in this Office.

Certified By:




William Schoonover
Associate Administrator for Hazardous
Materials Safety


March 08, 2024
(DATE)

Revision 2 - Issued to extend the expiration date.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



**TRIPLE ENCAPSULATED
G/SR-17 & G/SR-18**




**DOUBLE ENCAPSULATED
G/SR-INNER**

NOTES:

- DIMENSIONS IN [BRACKETS] ARE INCHES.
- LOWER CONNECTION TAB IS OPTIONAL. G/SR-17 HAS TWO TABS. G/SR-18 HAS A SINGLE TAB. BODY OF NON TABBED BOTTOM WILL BE FLAT AND CHAMFERED AS NECESSARY.
- RADIOACTIVE CONTENTS TO BE A MAXIMUM OF 125mg OF SELENIUM METAL ALLOY.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE MILLIMETERS TOLERANCES ARE: AS SHOWN			SOURCE PRODUCTION & EQUIPMENT CO., INC. 113 TEAL ST, ST. ROSE, LA 70087			
	APPROVALS		DATE		G/SR SERIES CAPSULE ASSEMBLY	
	DRAWN WKM		4/19/19			
	CHECKED MQ1		MQ1			
	APPROVED MQ1		MQ1			
TREATMENT NONE	QA CLASS		SIZE A	DWG. NO. BS1706		REV 3
FINISH NONE						
DO NOT SCALE DRAWING			SCALE: NTS		BS170603	SHEET 1 OF 2

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
1-2	ALL CHANGES ARE IN MQ1.	MQ1	MQ1



VANADIUM SPHERICAL ENCAPSULATION

- NOTES:
- 1. LASER WELDED WITH MINIMUM 0.50 mm PENETRATION.
 - 2. CONTENTS TO BE A MAXIMUM OF 125mg SELENIUM METAL ALLOY.
 - 3. MATERIAL IS COMMERCIALY PURE (0.99) VANADIUM.
 - 4. CAPSULE MAY BE COATED WITH NICKEL, RHODIUM, OR TITANIUM ALUMINUM NITRIDE.
 - 5. DIMENSIONS IN [BRACKETS] ARE INCHES.



VANADIUM CYLINDRICAL ENCAPSULATION

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: N/A			SOURCE PRODUCTION & EQUIPMENT CO., INC. 113 TEAL ST, ST. ROSE, LA 70087			
	APPROVALS		DATE		G/SR SERIES CAPSULE ASSEMBLY	
	DRAWN WKM		4/19/19			
	CHECKED MQ1		MQ1			
	APPROVED MQ1		MQ1			
TREATMENT NONE				SIZE C	DWG. NO. BS1706	REV 3
FINISH NONE						
DO NOT SCALE DRAWING						
QA CLASS		SCALE: NTS		BS122403		SHEET 2 OF 2



U.S. Department of
Transportation

Pipeline and
Hazardous Materials
Safety Administration

East Building, PHH-23
1200 New Jersey Ave, SE
Washington, D.C. 20590

CERTIFICATE NUMBER: USA/0812/S-96

ORIGINAL REGISTRANT(S) :

Source Production and Equipment Company, Inc.
113 Teal Street
St. Rose, LA, 70087
USA

Industrial Nuclear Company, Inc.
14320 Wicks Blvd.
San Leandro, CA, 94577
USA