

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0826/S-96, REVISION 1

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. Source Identification ORNL U ZipCan.
- 2. <u>Source Description</u> An equilateral triangle shaped single encapsulation made of a titanium inner container and a stainless steel outer encapsulation that is tungsten inert gas seal welded. Approximate exterior dimensions are 57 mm (2.24 in.) on each edge and 11 mm (0.43 in.) thick. Construction shall be in accordance with attached ORNL Drawing No. N3E020995A576, Revision A.
- 3. Radioactive Contents No more than 2.66E-1 TBq (7.17 Ci) of Uranium-232, 1.15E-3 TBq (3.11E-2 Ci) of Uranium-233, 7.36E-5 TBq (1.99E-3 Ci) of Uranium-234, 2.56E-7 TBq (6.91E-6 Ci) of Uranium-235, 7.68E-7 TBq (2.07E-5 Ci) of Uranium-236, and 3.84E-8 TBq (1.04E-6 Ci) of Uranium-238. The radioactive content is uranium oxide embedded in zirconium felt. The sum of the mass fractions must be no more than 3.2 grams (U element weight).
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.

1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition,

No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0826/S-96, REVISION 1

5. Expiration Date - This certificate expires on May 31, 2029. Previous editions which have not reached their expiration date may continue to be used.


This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the April 4, 2024 petition by Department of Energy, Washington, DC, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

William Schoonover Associate Administrator for Hazardous Materials Safety May 16, 2024 (DATE)

Revision 1 - Issued to extend the expiration date.



GENERAL NOTES:

SST 304L

SST 304L

PARTS LIST

- 1. [XX] ALTERNATE UNITS IN INCHES.
- 2. ITEMS 1 AND 2 ARE TO BE DELIVERED TO ORNL WITH THE CMTR HEAT # CLEARLY LABELED ON THE PART BAG OR SIMILAR CONTAINER.

MFG. PN / DET. DWG #

N3E020995A576 SHT 2

N3E020995A576 SHT 2

N3E020995A575

WELD NOTES:

- ALL SST WELDS PER ORNL WPS-GT88-A(PP) APPENDIX 2.
- W-> INDICATES WELD IDENTIFICATION NUMBER. NO WELD SEQUENCE IMPLIED
- 3. WELD INSPECTION:
 "V" VISUAL PER ORNL NDE-21 SHORT FORM.
- 4. LEAK TEST TO 1.3 X 10 $^{\rm -4}$ STD. ATM -CC/S @ 25 $^{\rm \circ}$ C PER FHRD-NDE-70.

V CLAUSE	DOCUMENTS REQUIRED	PROC. NO.	PART NO.
303	MAT'L MILL TEST REPORT (CERT)		1,2
325	MAT'L SELLER CERT		
326	SPECIAL MAT'L INSP. REPORT		
205	MFG. INSP. AND TEST PLAN		
312	FIELD INSP. & TEST PLAN		
314	MATERIAL MARKING		
321	WELD AND BRAZE INSP. REPORT	WELD NOTES 1-4	INDICATED
322	HEAT TREAT REPR.(W/CHART)		
310	LEAK TEST REPORT		
315	CLEANING CERT		
318	DEVIATION REQUEST	SBMS SA DEVIATION CONTROL	\
319	NONCONFORMANCE REPORT	SBMS SA NONCONFORMANCE CONTROL	/
323	DIMENSIONAL REPORT		
330	FUNCTIONAL TEST REPORT		
333	IDENTIFICATION & CONTROL OF SUSPECT/COUNTERFEIT PARTS		
*	SPECIAL PROCUREMENT REQUIRED	NNFD-10	
100	DOCUMENTATION	FOR ABOVE	

DEFAULT STANDARDS UNLESS OTHERWISE SPECIFIED

TOLERANCES:

JRG

JRG

DSNR

JAJ

JAJ

CHECKER

SDM

SDM

WELD REVIEW

APPROVALS

3/13/2019

8/24/2017

DATE

XX DECIMALS ± 0.254 XXX DECIMALS ± 0.127 ANGLES $\pm 0^{\circ}-30^{\circ}$ BREAK SHARP EDGES 1/64 MAX. FINISH = 125 RMS

THIS DRAWING CREATED IN ACCORDANCE WITH ANSI Y14.5M-1994

ALL DIMENSIONS ARE IN MM

ÚT-BATTELLE


NONREACTOR NUCLEAR FACILITIES DIVISION OAK RIDGE NATIONAL LABORATORY


Operated by UT-Battelle for the Department of Energy under U.S. Government contract DE-AC05-000R22725 • Oak Ridge, Tennessee

TITLE:

ORNL U ZIPCAN

SIZE	DWG NO.	N3E020995A576	
А	SCALE: 1.5X	SHEET 1 OF 2	A





(1) ORNL U ZIPCAN BASE

SCALE: 1X

ASSY DWG: N3E020995A576 SHT 1

MATERIAL: SST 304L

(2) ORNL U ZIPCAN TOP

SCALE: 1X

ASSY DWG: N3E020995A576 SHT

MATERIAL: SST 304L

GENERAL NOTES:

1. [XX] ALTERNATE UNITS IN INCHES.

2. ITEMS 1 AND 2 ARE TO BE DELIVERED TO ORNL WITH THE CMTR HEAT # CLEARLY LABELED ON THE PART BAG OR SIMILAR CONTAINER.

JRG	JAJ	SDM	3/13/2019		
JRG	JAJ	SDM	8/24/2017		
DSNR	CHECKER	WELD REVIEW	DATE		
APPROVALS					

DEFAULT STANDARDS UNLESS OTHERWISE SPECIFIED

TOLERANCES:

XX DECIMALS $\pm\,0.254$ XXX DECIMALS $\pm\,0.127$ ANGLES $\pm\,0^{\circ}-30^{\prime}$ BREAK SHARP EDGES 1/64 MAX. FINISH = 125 RMS

THIS DRAWING CREATED IN ACCORDANCE WITH ANSI Y14.5M-1994

ALL DIMENSIONS ARE IN MM

UT-BATTELLE

NONREACTOR NUCLEAR FACILITIES DIVISION OAK RIDGE NATIONAL LABORATORY

Operated by UT-Battelle for the Department of Energy under U.S. Government contract DE-AC05-00OR22725• Oak Ridge, Tennessee

TITLE:

ORNL U ZIPCAN

SIZE	DWG NO.	N3E020995A576	REV	
Λ.	11020200071010			
А	SCALE: 1X	SHEET 2 OF 2	Α	





U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0826/S-96

ORIGINAL REGISTRANT(S):

Department of Energy U.S. Department of Energy 1000 Independence Ave, SW EM-60 Washington, DC, 20585 USA