



U.S. Department of Transportation

COMPETENT AUTHORITY CERTIFICATION FOR A TYPE B(U) RADIOACTIVE MATERIALS PACKAGE DESIGN

Pipeline and **Hazardous Materials Safety Administration**

The Competent Authority of the United States certifies that the radioactive material package design described in this certificate satisfies regulatory requirements for a Type B(U) package as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America² The package design is approved for use within the United States for import and export shipments made in accordance with applicable international and domestic transport regulations.

CERTIFICATE USA/9157/B(U)-96, REVISION 13

- 1. Package Identification Model No. IR-100.
- 2. Package Description and Authorized Radioactive Contents as described in U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9157, Revision 18 (attached).
- 3. General Conditions
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - user of this certificate, other than the petitioner, shall register his identity in writing to the Office of Engineering and Research, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department Transportation, Washington D.C. 20590-0001.

¹ "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/9157/B(U)-96, REVISION 13

- c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.
- d. Records of Management System activities required by Paragraph 306 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
- 4. Marking and Labeling The package shall bear the marking USA/9157/B(U)-96 in addition to other required markings and labeling.
- 5. Expiration Date This certificate expires on October 31, 2029. Previous editions which have not reached their expiration date may continue to be used.

This certificate is issued in accordance with paragraph(s) 810 of the IAEA Regulations and Section 173.471 of Title 49 of the Code of Federal Regulations, in response to the September 24, 2024 petition by Industrial Nuclear Company, Inc., San Leandro, CA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

Associate Administrator for Hazardous

Materials Safety

October 03, 2024 (DATE)

Revision 13 - issued to revalidate U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9157, Revision 18.

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES b. REVISION NUMBER d. PACKAGE IDENTIFICATION NUMBER a. CERTIFICATE NUMBER c. DOCKET NUMBER PAGE PAGES 71-9157 USA/9157/B(U)-96 OF 3 9157 18 1

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.
- 3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION
- ISSUED TO (Name and Address)
 Industrial Nuclear Company
 14320 Wicks Blvd.
 San Leandro, CA 94577

b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION Industrial Nuclear Company application, Revision No. 4, dated June 2015, as supplemented.

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

- (a) Packaging
 - (1) Model No.: IR-100
 - (2) Description

The Model No. IR-100 package is approximately 8.87 inches long, 4.5 inches wide, and 8.5 inches high. The radioactive material contents consist of Iridium-192 or Selenium-75 in source assemblies that meet the requirements for special form material. The source assemblies are positioned within a zircalloy or titanium "S" tube within the IR-100. The "S" tube is surrounded by a shield assembly made of depleted uranium. The uranium shield assembly is encased in a stainless steel housing. The space between the uranium shield assembly and the stainless steel casing is filled with a rigid polyurethane foam. The maximum weight of the IR-100 exposure device is 53 pounds and the maximum shield weight is 38 pounds.

(3) Drawings

The packaging is constructed in accordance with Industrial Nuclear Company Drawing Nos.: IR 100-1A, Rev. 5 and IR 100-1B, Rev. 3.

- (b) Contents
 - (1) Type and form of material

Iridium-192 or Selenium-75 as sealed sources that meet the requirements of special form radioactive material.

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES a. CERTIFICATE NUMBER b. REVISION NUMBER c. DOCKET NUMBER d. PACKAGE IDENTIFICATION NUMBER PAGE PAGES 71-9157 USA/9157/B(U)-96 2 OF 3 9157 18

- 5. (b) Contents (continued)
 - (1) Maximum quantity of material per package

120 (output) curies

Output curies are determined in accordance with American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography."

- 6. The source must be secured in the shielded position of the packaging by the shipping plug, source assembly lock, and lock cap. The shipping plug, source assembly lock, and lock cap used must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintaining their positioning function. The ball stop of the source assembly lock must engage the locking device. The flexible cable of the source assembly and shipping plug must be of sufficient length and diameter to provide positive positioning of the source in the shielded position.
- 7. The name plate on the exposure device must be fabricated of materials capable of resisting the fire test of 10 CFR Part 71 and maintaining its legibility.
- 8. In addition to the requirements of Subpart G of 10 CFR Part 71:
 - (a) The package must meet the Acceptance Tests and Maintenance Program of Section 8 of the application; and
 - (b) Each package shall be operated and prepared for shipment in accordance with the operating procedures in accordance with Section 7 of the application.
- 9. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
- 10. Revision No. 17 of this certificate may be used until October 31, 2024.
- 11. Expiration date: October 31, 2029.

NRC FORM 618 U.S. NUCLEAR REGULATORY COMMISSION (8-2000) 10 CFR 71 CERTIFICATE OF COMPLIANCE FOR RADIOACTIVE MATERIAL PACKAGES b. REVISION NUMBER d. PACKAGE IDENTIFICATION NUMBER 1. a. CERTIFICATE NUMBER c. DOCKET NUMBER PAGE PAGES OF 9157 18 71-9157 USA/9157/B(U)-96 3 3

REFERENCES

Industrial Nuclear Company application dated June 2015.

Supplements dated: July 8, and August 6, 2015; February 16, 2017.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

YOIRA DIAZ-

SANABRIA

Digitally signed by YOIRA DIAZ-

SANABRIA

Date: 2024.09.23 07:49:26 -04'00'

Yoira Diaz-Sanabria, Chief Storage and Transportation Licensing Branch Division of Fuel Management Office of Nuclear Material Safety and Safeguards

Date: September 23, 2024



U.S. Department of Transportation

Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/9157/B(U)-96

ORIGINAL REGISTRANT(S):

Department of Energy U.S. Department of Energy 1000 Independence Ave, SW EM-60 Washington, DC, 20585 USA

Source Production and Equipment Company, Inc. 113 Teal Street St. Rose, LA, 70087 USA

Industrial Nuclear Company, Inc. 14320 Wicks Blvd. San Leandro, CA, 94577 USA

Bonded Inspections Incorporated 3840 Marquis Street Garland, TX, 75042 USA

CIS-US (Pharmalucence) 10 DeAngelo Drive Bedford, MA, 01730 USA

Western Industrial X-Ray 1707 Enterprise Drive Unit J P.O. Box 238 Fairfield, CA, 94533 USA

Universal Testing LLC 393 South Main

Clearfield, UT, 84015 USA

Vital Inspection Professionals 180 Airpark Industrial Road Alabaster, AL, 35007 USA

RLN Industries 7533 FM 2004 Hitchcock, TX, 77563 USA

Isoflex Radioactive 108 Teal Street

St. Rose, LA, 70087 USA

XCEL NDT 2755 State Highway 322 Longview, TX, 75603 USA

Metalogic Inspection Services 6529 Cunningham Rd Suite 2001 Houston, TX, 77041 United States