



U.S. Department
of Transportation
**Pipeline and
Hazardous Materials
Safety Administration**

**COMPETENT AUTHORITY CERTIFICATION
FOR A TYPE B(U)
RADIOACTIVE MATERIALS PACKAGE DESIGN
CERTIFICATE USA/9185/B(U)-96, REVISION 12**

East Building, PHH-23
1200 New Jersey Avenue Southeast
Washington, D.C. 20590

This certifies that the radioactive material package design described has been certified by the Competent Authority of the United States as meeting the regulatory requirements for a Type B(U) packaging for radioactive material as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America².

1. Package Identification - OP-100.
2. Package Description and Authorized Radioactive Contents - as described in U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9185, Revision 10 (attached).
3. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
 - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/9185/B(U)-96, REVISION 12

- d. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
4. Marking and Labeling - The package shall bear the marking USA/9185/B(U)-96 in addition to other required markings and labeling.
5. Expiration Date - This certificate expires on February 28, 2019. On October 31, 2016, this certificate supersedes all previous revisions of USA/9185/B(U)-96.

This certificate is issued in accordance with paragraph 808 of the IAEA Regulations and Section 173.471 of Title 49 of the Code of Federal Regulations, in response to the October 21, 2015 petition by Industrial Nuclear Company, Inc., San Leandro, CA, and in consideration of other information on file in this Office.

Certified By:



Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety

Dec 08 2015
(DATE)

Revision 12 - Issued to endorse U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9185, Revision 10.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9185	10	71-9185	USA/9185/B(U)-96	1 OF	3

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- | | |
|--|--|
| a. ISSUED TO (<i>Name and Address</i>)
Industrial Nuclear Company, Inc.
14320 Wicks Blvd.
San Leandro, CA 94577 | b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION
Industrial Nuclear Company application
dated July 1, 1999, as supplemented. |
|--|--|

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

- (1) Model No.: OP-100
- (2) Description

The Model No. OP-100 package consists of either an IR-50 source changer, or an IR-100 exposure device, which is positioned within a 10 gallon drum. The drum is made of 20 gauge steel, and is closed with a 12 gauge closure ring and a 5/8 inch diameter steel bolt. Plywood members are used to position and support either the IR-50 or IR-100 within the steel drum.

The IR-50 source changer and the IR-100 exposure device are approximately 8.87 inches long, 4.5 inches wide, and 8.5 inches high. The radioactive material contents consist of iridium-192 or selenium-75 in source assemblies that meet the requirements for special form material. The source assemblies are positioned within a zircalloy or titanium "S" tube within the IR-50 or IR-100. The "S" tube is surrounded by a shield assembly made of depleted uranium. The uranium shield assembly is encased in a stainless steel housing. The space between the uranium shield assembly and the stainless steel casing is filled with a rigid polyurethane foam. The maximum weight of the IR-50 source changer is 55 pounds, the maximum weight of the IR-100 exposure device is 53 pounds, and the maximum gross weight of the Model No. OP-100 package is 77 pounds.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9185	10	71-9185	USA/9185/B(U)-96	2 OF	3

(3) Drawings

The packaging is constructed in accordance with Industrial Nuclear Company Drawing Nos.: OP 100-1, Rev. 5, IR 50-1A, Rev. 3, IR 50-1B, Rev. 1, IR 100-1A, Rev. 5, and IR 100-1B, Rev. 2.

5. (b) Contents

(1) Type and form of material

Iridium-192 or selenium-75 as sealed sources that meet the requirements of special form radioactive material.

(2) Maximum quantity of material per package

120 Ci (4.44 TBq) (output)

Output curies are determined in accordance with American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography."

6. The source shall be secured in the shielded position of the packaging by the source assembly lock, lock cap, and the shipping plug (IR-100 only). The source assembly lock, lock cap, and the shipping plug (IR-100 only), must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintaining their positioning function. The ball stop of the source assembly must engage the source assembly lock. The flexible cable of the source assembly and shipping plug must be of sufficient length and diameter to provide positive positioning of the source in the shielded position.

7. The name plate on the overpack must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintain its legibility. The two vent holes in the side of the overpack must be covered with tape or rubber (plastic) plugs to prevent entry of rain water.

8. In addition to the requirements of Subpart G of 10 CFR Part 71:

(a) The package shall be prepared for shipment in accordance with the Operating Procedures of Chapter 7 of the application and

(b) Each package must meet the Acceptance Tests and Maintenance Program of Chapter 8 of the application.

9. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a	CERTIFICATE NUMBER	b	REVISION NUMBER	c.	DOCKET NUMBER	d.	PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9185		10		71-9185		USA/9185/B(U)-96	3	OF 3

10. Revision No. 9 of this certificate may be used until October 31, 2016.

11. Expiration date: February 28, 2019.

REFERENCES

Industrial Nuclear Company application dated July 1, 1999.

Supplements dated: September 14 and December 29, 1999; October 24, 2003; March 22, and July 12, 2007; November 25, 2008, January 24, 2014; July 21, August 3, 13, 17, September 22, 23, and 30, 2015.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION


(Acting for:)

Michele Sampson, Chief
Spent Fuel Licensing Branch
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Date: October 20, 2015





U.S. Department
of Transportation

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

**Pipeline and
Hazardous Materials
Safety Administration**

CERTIFICATE NUMBER: USA/9185/B(U)-96, Revision 12

ORIGINAL REGISTRANT(S):

Mr. Mike Rose
QAM and ARSO
Industrial Nuclear Company, Inc.
14320 Wicks Blvd.
San Leandro, CA 94577

Mr. Josh Burt
RSO
Industrial Nuclear Company, Inc.
300 HWY 146N
LaPorte, 77571
USA

REGISTERED USER(S):

Mr. R.D. Donny Dicharry
President
Source Production and Equipment Company, Inc.
113 Teal Street
St. Rose, 70087-9691
USA

Kelly Richardt
Regulatory and Quality Manager
Source Production and Equipment Company, Inc.
113 Teal St.
St. Rose, 70087
USA

Glenn M. Hoiney
NTS Enterprises, Inc.
811 W. Morse Avenue
Schaumburg, IL 60193-4535

T. L. Finkenbinder
Radiation Safety Officer
Western Industrial X-Ray
1707 Enterprise Drive
Unit J
P.O. Box 238
Fairfield, CA 94533

Brent Mockli
Radiation Safety Officer
Universal Testing LLC
393 South Main
Clearfield, UT 84015

Mr. Jack Dennis
Radiation Safety Officer
Vital Inspection Professionals
180 Airpark Industrial Road
Alabaster, AL 35007

Mr. Zachary Bailey
Radiation Safety Officer
U.S. Non-Destructive Inspection
P.O. Box 7717
Abilene, 79608
USA