



U.S. Department  
of Transportation  
**Pipeline and  
Hazardous Materials  
Safety Administration**

**COMPETENT AUTHORITY CERTIFICATION  
FOR A TYPE B(U)F FISSILE  
RADIOACTIVE MATERIALS PACKAGE DESIGN  
CERTIFICATE USA/9196/B(U)F-96, REVISION 32**

East Building, PHH-23  
1200 New Jersey Avenue Southeast  
Washington, D.C. 20590

This certifies that the radioactive material package design described has been certified by the Competent Authority of the United States as meeting the regulatory requirements for a Type B(U)F packaging for fissile radioactive material as prescribed in the regulations of the International Atomic Energy Agency<sup>1</sup> and the United States of America<sup>2</sup>.

1. Package Identification - Model No. UX-30.
2. Package Description and Authorized Radioactive Contents - as described in U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9196, Revision 29 (attached).
3. Criticality - The minimum criticality safety index is 5.0 for the 30B cylinder; 0.0 for the 30C cylinder. The maximum number of packages per conveyance is determined in accordance with Table X of the IAEA regulations cited in this certificate.
4. General Conditions -
  - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
  - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
  - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

---

<sup>1</sup> "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

<sup>2</sup> Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

**CERTIFICATE USA/9196/B(U)F-96, REVISION 32**

- d. This certificate provides no relief from the limitations for transportation of plutonium by air in the United States as cited in the regulations of the U.S. Nuclear Regulatory Commission 10 CFR 71.88.
  - e. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations<sup>1</sup> shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
5. Special Conditions -
- a. Contents that do not satisfy the definition of fissile material or that satisfy one of the fissile exceptions found in the IAEA regulations cited by this certificate may be transported as RADIOACTIVE MATERIALS, URANIUM HEXAFLUORIDE non-fissile or fissile excepted (UN 2978) under the provisions of this certificate. A criticality safety index is not applicable for these shipments and a separate H(U) or H(M) certificate is not required.
  - b. Prior to each shipment, the stainless steel components of the packaging, which include the ball-lock pins, must be visually inspected. Packagings in which stainless steel components show pitting, corrosion, cracking or pinholes are not authorized for transport.
  - c. Transport by air is not authorized.
  - d. Revision 30 of this certificate may continue to be used until February 28, 2016. Use of Revision 31 and all revisions issued prior to Revision 30 is prohibited.
6. Marking and Labeling - The package shall bear the marking USA/9196/B(U)F-96 in addition to other required markings and labeling.
7. Expiration Date - This certificate expires on December 31, 2019.

**CERTIFICATE USA/9196/B(U)F-96, REVISION 32**

This certificate is issued in accordance with paragraph 814 of the IAEA Regulations and Section 173.471 and 173.472 of Title 49 of the Code of Federal Regulations, in response to the January 27, 2015 petition by Columbiana Hi Tech, Greensboro, NC, and in consideration of other information on file in this Office.

Certified By:



**Mar 26 2015**

(DATE)

 \_\_\_\_\_  
Dr. Magdy El-Sibaie  
Associate Administrator for Hazardous Materials Safety

Revision 32 - Issued to correct Revision 31 of this certificate and to endorse U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9196, Revision 29.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9196	29	71-9196	USA/9196/B(U)F-96	1 OF	4

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- |   |  |
|---|--|
| a. ISSUED TO ( <i>Name and Address</i> )<br>Columbiana Hi Tech<br>1802 Fairfax Road<br>Greensboro, North Carolina 27407 | b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION<br>Columbiana Hi Tech, LLC, application dated October 2, 2014, as supplemented. |
|---|--|

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

- (1) Model No.: UX-30
- (2) Description:

Overpack for 30-inch uranium hexafluoride (UF<sub>6</sub>) cylinders. The overpack is a right circular cylinder constructed of two stainless steel shells with the volume between the shells filled with 6-inch thick foam (7.8 - 9.8 PCF). A stepped and gasketed horizontal joint permits the top half of the overpack to be removed from the base. The package "halves" are secured with ten indexed, cross-locking "ball lock" pins. The overpack is 43.5" in diameter by 96" long. The maximum gross weight of the package is 8270 lbs.

Two types of 30 inch uranium hexafluoride cylinders may be carried in the UX-30 overpack. These are (1) an ANSI N14.1 Standard 30B cylinder, or (2) an ANSI N14.1 Standard 30C cylinder.

The ANSI N14.1 Standard 30C cylinder is essentially a 30B cylinder equipped with a Valve Protective Cover (VPC) that bolts over and protects the cylinder valve during transport. The VPC is a special design feature that provides additional assurance against the inleakage of water to the containment system and is an enclosure that retains any leakage.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9196	29	71-9196	USA/9196/B(U)F-96	2 OF	4

(a) Packaging (continued)

(3) Drawings

The Model No. UX-30 packaging is fabricated in accordance with EnergySolutions Drawing No. C-110-B-57922-0001, sheets 1 through 3, Rev. 4.

(b) Contents

(1) Type and form of material

- A. Unirradiated uranium, in the form of  $UF_6$ , with a U-235 mass percentage not to exceed 5 weight percent.
- B. Reprocessed uranium, in the form of  $UF_6$ , with a U-235 mass percentage not to exceed 5 weight percent. The fission product gamma activity shall not exceed  $4.4 \times 10^5$  MeV Bq/kgU. The alpha activity from neptunium and plutonium shall be less than  $3.3 \times 10^3$  Bq/kgU.

(2) Maximum quantity of material per package

5,020 pounds  $UF_6$  contained in an ANSI Standard N14.1 30B or 30C cylinder.  
The maximum H/U atomic ratio for the  $UF_6$  is 0.088.  
The total activity in the package may not exceed  $10^5 A_2$ .

(c) Criticality Safety Index (CSI)

Criticality safety index for the UX-30 overpack containing a standard ANSI N14.1 30B cylinder 5.0

Criticality safety index for the UX-30 overpack containing a standard ANSI N14.1 30C cylinder 0.0

Criticality safety index for the UX-30 overpack is not applicable to non-fissile or fissile-excepted contents.

6. The ANSI standard 30B, 30-inch diameter  $UF_6$  cylinder, must be fabricated, inspected, tested and maintained in accordance with a) American National Standard N14.1-2012 or an earlier version of ANSI N14.1 in effect at the time of fabrication or b) American National Standard N14.1-2012 or an earlier version of ANSI N14.1 in effect at the time of fabrication and ISO 7195:2005 or an earlier version of ISO 7195 in effect at the time of fabrication. Cylinders must be fabricated in accordance with Section VIII, Division I, of the ASME (American Society of Mechanical Engineers) Boiler and Pressure Vessel Code and be ASME Code stamped.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9196	29	71-9196	USA/9196/B(U)F-96	3 OF	4

7. The ANSI N14.1 Standard 30C cylinder (new or retrofitted cylinders) must be fabricated, inspected, tested, and maintained in accordance with ANSI N14.1-2012 or earlier version of ANSI N14.1 at the time of fabrication.
8. When the optional 4 lid lifting clips are used instead of the top lugs, the top lid (cover) must be lifted with a spreader bar (saddle).
9. In addition to the requirements of Subpart G of 10 CFR Part 71:
  - (a) Prior to each shipment, the weather/dust seal gasket between the upper and lower shells must be inspected and must be replaced if inspection shows excessive wear or any defects to the gasket.
  - (b) Each packaging must meet the Acceptance Tests and Maintenance Program of Chapter 8 of the application, as supplemented.
  - (c) The package shall be prepared for shipment and operated in accordance with the Operating Procedures of Chapter 7 of the application, as supplemented.
  - (d) Prior to each shipment, the stainless steel components of the packaging, which include the ball-lock pins, must be visually inspected. Packagings in which stainless steel components show pitting, corrosion, cracking, or pinholes are not authorized for transport.
10. The 30-inch diameter UF<sub>6</sub> cylinder valve and plug threads may be tinned with ASTM B32, alloy 50A or Sn50 solder material, or a mixture of alloy 50A or Sn50 with alloy 40A or Sn40A material, provided the mixture has a minimum tin content of 45 percent.
11. Transport by air is not authorized.
12. Packagings must be marked with Package Identification Number USA/9196/B(U)F-96.
13. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
14. Revision No. 27 of this certificate may be used until February 28, 2016.
15. Expiration date: December 31, 2019.

**CERTIFICATE OF COMPLIANCE  
FOR RADIOACTIVE MATERIAL PACKAGES**

1 a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9196	29	71-9196	USA/9196/B(U)F-96	4 OF	4

REFERENCES


Columbiana Hi Tech Application dated: October 2, 2014.

As supplemented: January 6, 2015.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

*Michele Sampson*  
for Michele Sampson, Chief  
Spent Fuel Licensing Branch  
Division of Spent Fuel Management  
Office of Nuclear Material Safety  
and Safeguards

Date: January 13, 2015





**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**  
WASHINGTON, D.C. 20555-0001

**SAFETY EVALUATION REPORT**

**Docket No. 71-9196  
Model No. UX-30  
Certificate of Compliance No. 9196  
Revision No. 29**

**SUMMARY**

By application dated January 6, 2015, Columbiana Hi Tech, LLC, requested amendment of Certificate of Compliance (CoC) No. 9196, for the Model No. UX-30 package to allow Rev. 27 of the CoC to remain valid through February of 2016. The request included no changes to the safety bases for the CoC approval. NRC staff is issuing this revision to allow use of Revision No. 27 of the CoC until February 28, 2016. The staff finds the ability of the package to meet the requirements of 10 CFR Part 71 is not affected.

**EVALUATION**

The requested amendment allows Rev. 27 of the CoC to remain valid through February of 2016. The request included no changes to the safety bases for the CoC approval. NRC staff is issuing this revision of the CoC to allow use of Revision No. 27 of the CoC until February 28, 2016, as previously requested in an October 2, 2014, application. The staff finds the ability of the package to meet the requirements of 10 CFR Part 71 is not affected.

**CONDITIONS**

The following changes have been made to the certificate of compliance:

Section 3.b. was updated to include the application supplement dated January 6, 2015.

Condition No. 14 was updated to authorize use of Revision No. 27 of the certificate until February 28, 2016.

The References section was updated to include this request.

**CONCLUSION**

The staff finds the ability of the package to meet the requirements of 10 CFR Part 71 is not affected.

Issued with Certificate of Compliance No. 9196, Revision No. 29.



U.S. Department  
of Transportation

East Building, PHH-23  
1200 New Jersey Avenue SE  
Washington, D.C. 20590

**Pipeline and  
Hazardous Materials  
Safety Administration**

**CERTIFICATE NUMBER:** USA/9196/B(U)F-96, Revision 32

**ORIGINAL REGISTRANT(S):**

Mr. Don Olson  
President and COO  
Columbiana Hi Tech  
1802 Fairfax Road  
Greensboro, NC 27407

Mr. Curt Crissman  
Senior Project Manager  
Columbiana Hi Tech  
1802 Fairfax Road  
Greensboro, NC 27407

**REGISTERED USER(S):**

Mr. Mark Whittaker  
Engineering and Licensing  
Duratek  
140 Stoneridge Drive  
Columbia, 29210  
USA

Mr. Michael Buckner  
Customer Service and Product Scheduling  
United States Enrichment Corporation  
Paducah Gaseous Diffusion plant  
P.O. Box 1410  
5600 Hobbs Road  
Paducah, KY 42002-1410

Ms. Franchone Oshinowo  
Vice President of Operations  
Edlow International Company  
1666 Connecticut Ave, N.W.  
Suite 201  
Washington, 20009  
USA

Mr. Marty Karr  
Packaging and Transportation  
United States Enrichment Corporation  
P.O. Box 628  
U.S. Route 23 South  
Piketon, OH 45661

Mr. Rob Klassen  
Business Development Manager  
RSB Logistics, Inc.  
219 Cardinal Cresent  
Saskatoon, Saskatoon S7L 7K8  
CANADA

Mr. Mark Lambert  
Transport Logistics International  
Transport Logistics International  
8161 Maple Lawn Blvd.  
Suite 450  
Fulton, 20759  
USA

Dr. James M. Shuler  
Manager, Packaging Certification Program  
Department of Energy  
U.S. Department of Energy  
1000 Independence Ave, SW  
EM-60  
Washington, DC 20585

Mr. Jason Cybulski  
Specialty Materials - Fluorine Products  
Honeywell  
Route 45 North  
P.O. Box 430  
Metropolis, 62960  
USA

Mr. Jim Davis  
Areva - TN Inc  
2101 Horn Rapids Road  
Richland, WA 99352

Steven E. Sisley  
Licensing, Regulatory Compliance Manager  
Energy Solutions  
2105 South Bascom Ave.  
Suite 160  
Campbell, CA 95008

Brandon Thomas  
Licensing and Regulatory Compliance  
Energy Solutions  
2105 South Bascom Ave.  
Suite 160  
Campbell, CA 95008

Ms. Marilena Conde  
Vice President, Marketing and Administration  
Edlow International Company  
1666 Connecticut Ave, N.W  
Suite 201  
Washington, 20009  
USA

Ralf Witten  
Areva - TN Inc  
Abteilung ANF-LP  
Advanced Nuclear Fuels GmbH  
Postfach 1485  
Lingen, Niedersachsen 49784  
Germany

Mr. David Steele  
Specialty Materials - Fluorine Products  
Honeywell  
Route 45 North  
P.O. Box 430  
Metropolis, 62960  
USA

Mr. Robert Link  
Areva - TN Inc  
2101 Horn Rapids Road  
Richland, 99352  
USA

Mr. Patrick Walsh  
Project Manager  
Energy Solutions  
1009 Commerce Park Dr.  
Suite 100  
Oak Ridge, TN 37830

Mr. Mark Whittaker  
Engineering and Licensing  
Energy Solutions  
140 Stoneridge Drive  
Columbia, SC 29210

Mr. Patrick Paquin  
GM - Engineering and Licensing  
Energy Solutions  
140 Stoneridge Drive  
Columbia, SC 29210

Mr. Timothy Knowles  
Licensing and Performance Assessment Manager  
Louisiana Energy Services, Urenco USA  
Louisiana Energy Services (LES)  
URENCO USA  
275 Hwy 176  
Eunice, 88231  
USA

Mr. Oliver Heidemann  
RSB Logistics, Inc.  
Robert-Perthel-Str. 71-73  
Koln, Germany 50739  
Germany

Jarod Bowden  
Package Approvals Engineer  
International Nuclear Services Ltd  
Hinton House  
Risley  
Warrington, Cheshire WA3 6GR  
UK

Glenn Mathues  
Licensing Engineer (Transportation)  
Areva - TN Inc  
7135 Minstrel Way  
Suite 300  
Columbia, MD 21045

Garry Owen  
Technical Manager, Engineering & Package Approvals Section  
International Nuclear Services Ltd  
Hinton House  
Risley  
Warrington, Cheshire WA3 6GR  
UK

Mr. Michael Peers  
Regulatory Liaison Manager  
Urenco  
URENCO UK Limited  
Capenhurst  
Chester, zz CH1 6ER  
United Kingdom

Wes Stilwell  
Nuclear Fuel Transport Director  
Westinghouse  
Westinghouse Electric Company - Nuclear Fuel  
Columbia Fuel Fabrication Facility  
5801 Bluff Road  
Hopkins, SC 29061

Mr. Pavel Izossimov  
Chief, Logistics  
Ulba Metallurgical Plant JSC  
102 Abay Avenue  
Kamenogorsk, kamenogorsk 070005  
Kazakhstan

Steve Capner  
Deputy Regulatory and Compliance Manager  
Advance Uranium Asset Management Limited  
Springfields  
Salwick, Lancashire PR4 OXJ  
UK

Norman Kent  
Director Engineering Services  
Transport Logistics International  
TLI Engineering Services  
3700 Forest Drive  
Suite 202  
Columbia, 29204  
USA

Tony Grange  
Regulatory and Compliance Manager  
Advance Uranium Asset Management Limited  
Springfields  
Salwick, Preston, Lancashire PR4 OXJ  
UK

Jamie Smith  
Operations Manager  
TAM International Inc.  
980-606 Spadina Crescent East  
Saskatoon, Saskatchewan S7K 3H1  
Canada

Steve Hansen  
Senior Compliance Engineer  
TAM International Inc.  
TAM International USA Inc.  
333 Broadway Street  
Suite 926  
Paducah, KY 42001

Mirza I. Baig  
Manager, Technical Services  
Energy Solutions  
Suite 100, Center Point II  
100 Center Point Circle  
Columbia, SC 29210

Mike Valenzano  
Director of Transport Operations  
Areva - TN Inc  
7135 Minstrel Way  
Suite 300  
Columbia, MD 21045

Tanya Sloma  
Licensing, Compliance and Package Technology  
Westinghouse  
Westinghouse Electric Company - Nuclear Fuel  
Columbia Fuel Fabrication Facility  
5801 Bluff Road  
Hopkins, SC 29061

Ms. Karyn Wiemers  
Urenco  
P.O. Box 1789  
Eunice, 88231  
USA

Mr. Frank Hilbers  
Urenco Deutschland  
Urenco  
Rontgenstrasse 4  
Gronau, Gronau 48599  
GERMANY

Mr. Rudi Valley  
URENCO Netherlands  
Urenco  
P.O. Box 158  
Almelo, Almelo 7600D AD  
The NETHERLANDS

Mr. Mike Peers  
URENCO UK  
Urenco  
Capenhurst  
Chester, Chester CH1 6ER  
UNITED KINGDOM

Mr. Joel Kruehler  
URENCO  
Urenco  
Central Technology Group  
Bahnhofstrasse 8  
Bad Bentheim, Bad Bentheim 48455  
GERMANY

Mr. Florian Spielmann  
Head of Supply Chain Execution  
Urenco  
Bahnhofstrasse 8  
Bad Bentheim, Bad Bentheim 48455  
GERMANY