



U.S. Department
of Transportation
**Pipeline and
Hazardous Materials
Safety Administration**

**COMPETENT AUTHORITY CERTIFICATION
FOR A TYPE B(U)
RADIOACTIVE MATERIALS PACKAGE DESIGN
CERTIFICATE USA/9269/B(U)-96, REVISION 10**

East Building, PHH-23
1200 New Jersey Avenue Southeast
Washington, D.C. 20590

This certifies that the radioactive material package design described has been certified by the Competent Authority of the United States as meeting the regulatory requirements for a Type B(U) packaging for radioactive material as prescribed in the regulations of the International Atomic Energy Agency¹ and the United States of America².

1. Package Identification - Model 650L Source Changer.
2. Package Description and Authorized Radioactive Contents - as described in U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9269, Revision 9 (attached).
3. General Conditions -
 - a. Each user of this certificate must have in his possession a copy of this certificate and all documents necessary to properly prepare the package for transportation. The user shall prepare the package for shipment in accordance with the documentation and applicable regulations.
 - b. Each user of this certificate, other than the original petitioner, shall register his identity in writing to the Office of Hazardous Materials Technology, (PHH-23), Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, Washington D.C. 20590-0001.
 - c. This certificate does not relieve any consignor or carrier from compliance with any requirement of the Government of any country through or into which the package is to be transported.

¹ "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.


² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/9269/B(U)-96, REVISION 10

- d. Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations¹ shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the applicable requirements of Subpart H of 10 CFR 71.
4. Marking and Labeling - The package shall bear the marking USA/9269/B(U)-96 in addition to other required markings and labeling.
5. Expiration Date - This certificate expires on November 30, 2020.

This certificate is issued in accordance with paragraph 808 of the IAEA Regulations and Section 173.471 of Title 49 of the Code of Federal Regulations, in response to the August 12, 2015 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:



Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety

Aug 24 2015
(DATE)

Revision 10 - Issued to endorse U.S. Nuclear Regulatory Commission Certificate of Compliance No. 9269, Revision 9.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

a. CERTIFICATE NUMBER 9269	b. REVISION NUMBER 9	c. DOCKET NUMBER 71-9269	d. PACKAGE IDENTIFICATION NUMBER USA/9269/B(U)-96	PAGE 1	PAGES OF 3
-------------------------------	-------------------------	-----------------------------	--	-----------	---------------

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
- b. This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- | | |
|---|---|
| a. ISSUED TO (<i>Name and Address</i>)

QSA Global, Inc.
40 North Avenue
Burlington, MA 01803 | b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION

QSA Global, Inc., application dated
August 3, 2010, as supplemented. |
|---|---|

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

- (1) Model No.: 650L
- (2) Description

A welded carbon or stainless steel cylindrical outer shell encases a welded carbon or stainless steel rectangular inner shell. The inner shell contains a titanium "U" tube set in depleted uranium along with internal supports. The tube is crimped in the middle of the "U" to provide a positive stop for the source assembly. Additional shielding is provided by lead or tungsten positioned at various locations around the depleted uranium shield. The Model No. 650L has two source locking assemblies, mounted on the top cover plate, that are used to secure the radioactive special form source, Iridium-192 or Selenium-75, in a shielded position during transport. The packaging measures approximately 10-inches (254 mm) wide, 13.25-inches (337 mm) high and 8.25-inches (210 mm) deep. The maximum weight of the packaging is 90 pounds (41 kg).

- (3) Drawings

The packaging is constructed in accordance with QSA Global, Inc., Drawing No. R65006, Rev. N, sheets 1-5.

(b) Contents

- (1) Type and form of material

Iridium-192 as sealed sources which meet the requirements of special form radioactive material.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1.	a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
	9269	9	71-9269	USA/9269/B(U)-96	2	OF 3

5. (b) Contents (continued)

Selenium-75 as sealed sources which meet the requirements of special form radioactive material.

(2) Maximum quantity of material per package

Ir-192: 240 curies (8.9 TBq) (output)

Se-75: 300 curies (11.1 TBq) (output)

Output curies are determined by measuring the source output at 1 meter and expressing its activity in curies derived from the following: 0.48 R/(h-Ci) Iridium-192 at 1 meter (Ref: American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography") and 0.2 R/(h-Ci) Selenium-75 at 1 meter (Ref: U.S. Public Health Service, Bureau of Radiological Health, 1970. Radiological Health Handbook, Rockville, MD).

(3) Maximum weight of contents

0.08 pounds (36 grams), including the mass of radioactive material and the weight of the source capsule handling wire assembly for a shipment containing two source wire assemblies.

(4) Maximum decay heat

Ir-192: 4.8 Watts

Se-75: 1.52 Watts

6. The source shall be secured in the shielded position of the packaging by the source assembly. The source assembly must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintaining its positioning function. The cable of the source assembly must engage the source hold-down assembly. The flexible cable of the source assembly must be of sufficient length and diameter to provide positive positioning of the source at the crimp of the "U" tube.

7. The nameplates shall be fabricated of materials capable of resisting the fire test of 10 CFR Part 71 and maintaining their legibility.

8. In addition to the requirements of Subpart G of 10 CFR Part 71:

(a) The package shall be prepared for shipment in accordance with the Operating Procedures in Chapter 7 of the application, and

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

1. a. CERTIFICATE NUMBER	b. REVISION NUMBER	c. DOCKET NUMBER	d. PACKAGE IDENTIFICATION NUMBER	PAGE	PAGES
9269	9	71-9269	USA/9269/B(U)-96	3	OF 3

- (b) The packaging shall be maintained in accordance with the Maintenance Program in Chapter 8 of the application.
9. Fabrication of new packagings is not authorized. Fabrication of replacement components needed to support shipment of existing packages is authorized, except for the depleted uranium shield and the inner carbon steel shell.
10. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
11. Expiration date: November 30, 2020.

REFERENCES

QSA Global, Inc., application dated August 3, 2010.
Supplements dated August 11 and 25, 2010; December 8, 2014; January 13, 2015, March 23, 2015, May 8, 2015, and July 8, 2015.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION



Mark Lombard, Director
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Date: August 3, 2015





U.S. Department
of Transportation

East Building, PHH-23
1200 New Jersey Avenue SE
Washington, D.C. 20590

**Pipeline and
Hazardous Materials
Safety Administration**

CERTIFICATE NUMBER: USA/9269/B(U)-96, Revision 10

ORIGINAL REGISTRANT(S):

Ms. Lori Podolak
Manager, Regulatory Affairs/Quality Assurance
QSA Global, Inc.
40 North Avenue
Burlington, MA 01803

Mr. Michael Fuller
Regulatory Compliance Associate
QSA Global, Inc.
40 North Avenue
Burlington, MA 01803

REGISTERED USER(S):

Mr. R.D. Donny Dicharry
President
Source Production and Equipment Company, Inc.
113 Teal Street
St. Rose, 70087-9691
USA

Mr. Patrick Buck
Radiation Safety Officer
CIS-US (Pharmalucence)
10 DeAngelo Drive
Bedford, 01730
USA

Mr. R. D. Thomas
Department of the Navy
Naval Sea Systems Command
1333 Isaac Hull Ave. SE
Washington Navy Yard, 20376-0001
USA

Dr. James M. Shuler
Manager, Packaging Certification Program
Department of Energy
U.S. Department of Energy
1000 Independence Ave, SW
EM-60
Washington, DC 20585

Kelly Richardt
Regulatory and Quality Manager
Source Production and Equipment Company, Inc.
113 Teal St.
St. Rose, 70087
USA

Robert J. Slack
Director of Regulatory Affairs
MISTRAS Holdings Group, CONAM Inspection & Engineering Services, Inc
899 Carol Court
Carol Stream, IL 60188

T. L. Finkenbinder
Radiation Safety Officer
Western Industrial X-Ray
1707 Enterprise Drive
Unit J
P.O. Box 238
Fairfield, CA 94533

Mr. Eric Mitchell
Manager QA/NDT
American Airlines
Radiation Safety Officer
3900 N. Mingo Road; MD 35
Tulsa, 74116
USA

Mr. Mike Rose
QAM and ARSO
Industrial Nuclear Company, Inc.
14320 Wicks Blvd.
San Leandro, CA 94577

Mr. Dan Rosian
Radiation Safety Officer
International Inspection
10521 N. Lombard Street
Portland, OR 97203

Mr. John R. Knapp
Radiation Safety Officer
International Inspection
3229 South 148th St.
SeaTac, WA 98168

Mr. Michael Delgado
Radiation Safety Officer
International Inspection
10600 Pioneer Blvd
Unit A
Santa Fe Springs, CA 90670

Mr. Zachary Bailey
Radiation Safety Officer
Brazos Valley Inspection
P.O. Box 7717
Abilene, 79608
USA

Mr. Zachary Bailey
Radiation Safety Officer
U.S. Non-Destructive Inspection
P.O. Box 7717
Abilene, 79608
USA

Mr. Daryl Istre
Corporate Radiation Safety Officer
MISTRAS Holdings Group, CONAM Inspection & Engineering Services, Inc
4000 Underwood Road
La Porte, 77571
USA

Mr. Josh Burt
RSO
Industrial Nuclear Company, Inc.
300 HWY 146N
LaPorte, 77571
USA